1-1-1979

The feasibility of establishing low volume beef slaughtering - processing plants in West Virginia

Ronnie L. Durst

John P. Kuehn

Follow this and additional works at: https://researchrepository.wvu.edu/wv_agricultural_and_forestry_experiment_station_bulletins

Digital Commons Citation

Durst, Ronnie L. and Kuehn, John P., "The feasibility of establishing low volume beef slaughtering - processing plants in West Virginia" (1979). *West Virginia Agricultural and Forestry Experiment Station Bulletins*. 666.
https://researchrepository.wvu.edu/wv_agricultural_and_forestry_experiment_station_bulletins/564

This Bulletin is brought to you for free and open access by the Davis College of Agriculture, Natural Resources And Design at The Research Repository @ WVU. It has been accepted for inclusion in West Virginia Agricultural and Forestry Experiment Station Bulletins by an authorized administrator of The Research Repository @ WVU. For more information, please contact ian.harmon@mail.wvu.edu.

The Feasibility of Establishing Low Volume Beef Slaughtering- Processing Plants in West Virginia

RECEIVED
NOV 27 1979

AG. ENGR. LIBRARY
WEST VIRGINIA UNIVERSITY

Bulletin 666

May 1979

West Virginia University
Agricultural and Forestry Experiment Station

S127

1E1

No. 666

Blank Page in Original Bulletin

Contents

Abstract.....	3
Preface	3
Summary and Conclusions.....	4
Introduction	7
Objectives.....	7
Procedure.....	8
Cost Analysis	9
Annual Fixed Costs	10
Annual Operating Costs	11
Revenue and Feasibility Analysis	14
Tables 1-24	17
Bibliography and Literature Cited	38
Appendixes	41

The Authors

At the time of this study, Ronnie L. Durst was a Graduate Research Assistant in the Division of Resource Management; John P. Kuehn is Associate Agricultural Economist.

**West Virginia University
Agricultural and Forestry Experiment Station
College of Agriculture and Forestry
Dale W. Zinn, Director
Morgantown**

Abstract

The overall objective of this study was to determine the feasibility of establishing and operating low volume beef slaughtering and processing plants in West Virginia. Benchmark data for ideal, efficient operating conditions were synthetically generated to provide operating guidelines for both prospective and existing plants.

Three plants were designed: Plant A, 1,512 head per year (6 head per day); Plant B, 5,040 head per year (20 head per day); Plant C, 6,300 head per year (25 head per day). The total initial investments were land, \$95,418; buildings, \$237,451; and equipment, \$257,587.

The optimum sized plant to build depended on expected annual volume. Plant C provided the lowest cost per head slaughtered and processed. However, if Plant C operated below 90 per cent of capacity, Plant B was found to be more efficient. Plant A was marginal since a favorable product price situation was necessary for profitable operation.

Preface

The study results presented in this bulletin were based on an economic engineering analysis. The objective of such an analysis is to provide benchmark data which reflect ideal operating conditions. The criteria used for formulating the cost and return estimates considered legislative restrictions and conventional practices followed by major firms in the livestock industry.

Cost and return data so generated might not directly simulate actual operating conditions in the state. However, the object was to determine general relationships between various annual volumes and their associated costs and returns. These general relationships were designed to provide decision making criteria for the establishment of new firms. The study data could then be used as a benchmark mechanism. Individual situations could be compared to those of the study data for purposes of determining areas for improvements on the benchmark results. Examples of such improvements include locating on undeveloped industrial land, using well water rather than city water, using non-union labor, used equipment and buildings, etc.

Given these reservations the analysis should be useful for existing plants in the state as well as for organizations or individuals planning to establish new plants.

Summary and Conclusions

A number of factors have caused structural shifts in the meat packing industry. Packing plants have been moving closer to the sources of slaughter animals. Basically, it is less expensive to transport processed meat than live animals. This trend, however, is complicated when supplies of slaughter animals are not concentrated and population centers are scattered.

Meat slaughtering and processing plants achieve great cost reductions as size and volume increase. However, in areas such as West Virginia, there are no significant concentrations of consumers. Possibly, the cost savings of large firms located close to live animal supplies could be offset by smaller, more centrally located firms which do not incur the large transportation costs required to ship processed meat to scattered isolated demand centers.

Therefore, the overall objective of this study was to evaluate the feasibility of establishing and operating small slaughtering-processing plants in West Virginia. Specifically, the objectives were: (1) to estimate the initial investment for various sized model beef slaughtering-processing plants; (2) to estimate annual operating costs; (3) to determine the effects of differing levels of capacity utilization on operating efficiency; and (4) to estimate expected net revenues for model plants operating under different sets of demand-supply conditions.

The procedure used to accomplish these objectives was synthetic cost analysis. Three efficient model plants were designed for West Virginia: (1) Plant A, 1,512 head per year (6 head per day slaughtered and processed); (2) Plant B, 5,040 head per year (20 head per day); (3) Plant C, 6,300 head per year (25 head per day). These model plants were then ana-

lyzed based on different levels of capacity utilization and different final product prices.

The total initial investment in land, buildings, and equipment was \$95,418 for Plant A, \$237,451 for Plant B, and \$257,587 for Plant C, based on 1976 prices.

Study results indicated average costs decreased for each plant as the level of utilization and capacity increased from 70 to 100 percent. Operating at full capacity, Plant A costs averaged \$81.47 per head, or 15.5 cents per pound (based on an assumed average dressed weight of 525 pounds). Plant B costs averaged \$56.15 per head, or 10.7 cents per pound, and Plant C incurred costs of \$55.35 per head, or 10.5 cents per pound.

Expected revenues of the model plants were analyzed based on three price levels. The low price level assumed a base slaughtering fee of \$5.00 and a processing fee of 10 cents per pound. The medium price level assumed a base fee of \$10.00 and a processing charge of 12 cents per pound; the high price level assumed a \$15.00 slaughtering charge and a processing fee of 14 cents per pound. Annual net revenue, with the exception of Plant A, was positive in all cases. And, as expected, net revenue increased as plant size increased and also as levels of capacity utilization increased.

The optimum sized plant depends on the expected volume. Plant C provides the lowest cost per head if it operates above 90 percent of capacity; below 90 percent Plant B is more efficient.

If the costs in this study are compared with the lower costs incurred by the large midwestern and southwestern firms, and the greater transportation costs from those areas are considered, small plants constructed in West Virginia might prove more efficient.

Blank Page in Original Bulletin

The Feasibility of Establishing Low Volume Beef Slaughtering-Processing Plants in West Virginia

RONNIE L. DURST AND JOHN P. KUEHN

The meat packing industry in the United States has undergone significant changes since the early 1950s. These changes include a shift from large, multispecies, slaughtering-processing plants located near terminal markets to plants specializing in the slaughter of one or two species, located near the production areas (6, p. 5). One of the major factors influencing these shifts has been the cost of transportation. Processed meat may be shipped less expensively than live animals. When there is a large concentration of animals ready for slaughter, such as in the Midwest or Southwest, a slaughter plant can be relatively large in order to take advantage of economies of size. In the case of West Virginia, however, there are no significant concentrations of live slaughter animals.

Economies of size are certainly important in the meat packing industry. However, the large variations in size of firms in the industry indicate that these economies may be offset by locational aspects of production and demand. "Spatially isolated demand centers often warrant a small firm whose costs of operation are less than those of larger more centrally located firms which must incur large transportation costs to ship their products to such isolated demand centers." (7, p. 1).

West Virginia has been a deficit processor of meat and meat products for some time. In 1973, only 18 percent of the meat consumed statewide was processed within the state. A large portion of that 18 percent was slaughtered outside the state and brought in for processing (13, p. 13).

Therefore, there is potential in the state for an increase in the slaughtering, processing, and sales of West Virginia produced meat. But since the nature of the state's livestock industry is to produce primarily feeder calves and since a relatively small number of slaughter animals are fed out, the *small* slaughter-processing plant appears to have more potential than the larger more "efficient" plants which require both a large number of animals and customers.

OBJECTIVES

The overall objective of the study was to evaluate the feasibility of establishing and operating small beef slaughtering-processing plants in West Virginia. Specifically, the objectives were:

1. To estimate the initial investment for various sized model beef slaughtering-processing plants
2. To establish annual operating costs for model slaughtering-processing plants
3. To determine the effects of differing levels of capacity utilization on operating efficiency

4. To estimate expected net revenues for model plants operating under different sets of demand-supply conditions.

PROCEDURE

Cost data from 1976 were synthesized, through economic engineering techniques, for various sized model slaughtering plants. "Basically, the synthetic firm approach involves the development of budgets for hypothetical firms, using the best available estimates of the technical coefficients — resource requirements and expected yields — and charging market prices or opportunity costs for all resources." (17, p. 29)

In this particular study, model slaughtering plants selected were considered to be of optimum design and employ relatively efficient machinery and equipment for their individual size or output. Once these plants were selected, complete input-output and cost schedules were developed through allocation of costs to plant construction, equipment, land, labor, and other operating costs. These cost estimates were based on information obtained from contractors, equipment manufacturers, and various other sources.

There were two major sections of the analysis: a cost analysis section and a revenue and feasibility analysis section.

The cost analysis consisted of calculating costs per unit of output for each of the plants operating at full capacity. The effect of seasonal slaughter animal supply on operating costs was also calculated by the ratio-to-moving average method (9, pp. 440-447). Further examination of plant average costs was achieved by assuming plants would produce at 70, 90, and 120¹ percent of capacity.

Once per unit costs were calculated for all levels of capacity utilization of the three plant sizes, short-run curves were constructed for each and a long-run cost curve was estimated from the three. In addition, an estimation was made as to the investment costs necessary for the establishment of each of the model plants.

Plant revenues were estimated at various levels of capacity. This was accomplished by estimating revenue per unit of output and then multiplying by the appropriate output level. The feasibility of establishing the model plants was estimated and analyzed through comparison of revenues and costs.

Plant Characteristics

The model plants used in this study were designed for custom kill or wholesale meat type operations. In a custom type operation, the customer provides a live animal and receives in return wrapped meat ready for the freezer. A wholesale type operation involves the purchase of live animals and then the sale of the processed meat either at the plant or to retail agencies in the area. For the purpose of this study, all costs and revenues were based on the custom type operation. The additional costs involved in buying and selling for the wholesale type operation were assumed to be offset by the additional revenue obtained by selling the processed meat.

¹The 120 percent level of capacity utilization was achieved by assuming plants would operate six days per week instead of five.

The plants used in this study were designed primarily to slaughter and process cattle. Hogs could also be slaughtered in these plants, but they were not included in this study.

For this particular analysis, the input-output relationships of three sizes of plant were synthesized. The maximum beef slaughter and processing capacity for the three plants were 6, 20, and 25 head per day.

Each plant was designed to meet federal restrictions and requirements on construction, layout, and equipment. This enables plant management to supplement custom type operations with commercial wholesale type operations during the periods when custom demand is low. Each plant consists of corral facilities, killing floor and processing room, employee welfare area, office space, chill and holding cooler, hide and offal room, and sufficient parking space for employees and visitors.

The plants when operating at full capacity were presumed to operate with a single labor shift of eight hours duration, five days a week, for 52 weeks a year with the exception of holidays. Thus, the total number of operating days per year is 252.

COST ANALYSIS

For this particular analysis, costs will be viewed as either investment or operating. Investment costs are those not related to output and include those associated with land, buildings, and equipment. Operating costs are those related to output and consist of labor, utilities, and miscellaneous operating costs.

Investment Requirements

Building Requirements and Costs

The cost of constructing a custom slaughtering plant varies greatly depending upon the type of building being constructed, topography of the plant site, and the inspection requirements of federal, state, and local officials (15, p. 55). For this study it was assumed that plants would be constructed on level ground at suitable operational sites and that they would meet all requirements for federal inspection.

Equipment manufacturers, extension specialists, and industry sources were contacted regarding plant selection. A pre-engineered plant was selected for its efficient layout and design. To synthesize the building costs for the various sizes of plants, engineering and architectural drawings, along with cost estimates, were obtained from an equipment manufacturer. These building costs are illustrated in Table 1.

Equipment Requirements and Costs

Equipment costs considered in this study included all equipment necessary for the operation of a custom slaughtering plant: equipment for the slaughtering and processing areas, office areas, employee welfare areas, and all refrigeration equipment.

Industry sources provided specifications involving slaughtering, processing and refrigeration requirements, and costs. Detailed equipment listings for each of the model plants are presented in Appendix A.

Office and employee welfare equipment requirements were synthesized on the basis of the functions to be performed and the number and type of

personnel employed. The costs were based on price listings of various retail agencies throughout West Virginia. Total equipment costs for each of the model plants are presented in Table 2.

Land Requirements and Costs

In determining the amount of land required for each plant, consideration was given to building space, employee and visitor parking, and future expansion and landscaping. The parking area requirements were calculated on the basis of 9 by 30 feet for each employee with equal space for visitors' parking. The miscellaneous land area was assumed to be ten percent of the combined building and parking area (14, p. 79).

Values of land suitable for plants ranged from \$500.00 to \$10,000.00 per acre. This large variation in land value occurs due to the accessibility to major highways and the particular section of the state considered.

Based on conversations with Chamber of Commerce officials, a cost of \$5,000.00 per acre, or approximately 11.5 cents per square foot, was used for estimating land costs. The land requirements and costs for each model plant are presented in Table 3.

Total Investment Costs

Total investment costs, an estimation of initial capital outlay required to establish slaughtering plants, include land, buildings, and equipment costs (Table 4).

ANNUAL FIXED COSTS

Interest on Land, Buildings, and Equipment

The firm must consider interest on funds invested is an annual investment cost. An interest rate of 9 percent was applied to the full value of the land. Building and equipment interest costs were based on a 9 percent rate applied to 50 percent of the original investment. This assumes the salvage value would be zero at the end of the depreciation period (14, p. 95). The interest costs for the model plants are presented in Table 5.

Depreciation on Buildings and Equipment

The estimated use life of buildings and equipment are 25 and 12.5 years, respectively. At the end of this period buildings are assumed to be completely depreciated, while equipment can be salvaged at 10 per cent of original costs (8, p. 11). Thus, buildings are depreciated at 4 percent per year, while equipment is depreciated at an 8 per cent annual rate applied to total cost minus salvage value. The annual depreciation costs for buildings and equipment are listed in Table 6.

Property Taxes

Personal property taxes were based on rates obtained from the Monongalia County Tax Assessor's office. Although tax rates vary from county to county within the state, these rates are similar to rates in other counties. The standard assessment rate, \$2.68 per \$100.00, is based on 50 percent of the market value of land, buildings, and equipment. The property taxes for each of the model plants are presented in Table 7.

Insurance

Insurance coverages included in this study are fire, liability, and extended coverage. Although fire insurance rates vary greatly, a typical annual rate for similar buildings as those used in this study would be approximately \$.80 per \$100.00 of investment in buildings and equipment. Liability is figured on a per square foot basis and was estimated at thirty cents per square foot of building space. Insurance costs, along with a complete listing of other annual investment costs, are presented in Table 7.

ANNUAL OPERATING COSTS

Utilities

Electricity Requirements and Costs

Electricity is used in each of the model plants for three purposes: lighting, operation of equipment motors, and operation of refrigeration units.

The lighting requirements for each of the model plants were synthesized using the Lumen method (21, p. 146). The Lumen method of calculation consists of six steps: "(1) determine the level of illumination, (2) select the lighting system and luminaires, (3) determine the coefficient of utilization, (4) estimate the maintenance factor, (5) calculate the number of lamps and (6) determine the location of the luminaires" (21, p. 146). For a more complete discussion of electricity requirements and the Lumen method, see Appendix B.

Electricity required for the operation of equipment motors was computed by assuming that each one-horsepower motor consumed .78 kilowatt per hour (6, p. 24). An estimated time of daily operation was established for each motor.

Electricity requirements for refrigeration purposes were calculated by using the following formula: (6, p. 16)

$$X = AB (t_2 - t_1)$$

Where:

X = Amount of heat in B.T.U.'s that must be removed each hour to maintain the desired temperature.

A = Number of square feet of wall space.

B = Heat transfer coefficient of insulation material.

t_2 = Temperature of outer wall.

t_1 = Temperature required inside room.

This formula estimates the amount of heat in B.T.U.'s that must be removed to maintain the temperature at the desired level. To estimate the B.T.U.'s of heat that must be removed to cool the carcasses, the following formula was used: (6, p.17)

$$X = BS (t_2 - t_1)$$

Where:

S = Specific heat of beef.

B = Pounds of beef to be cooled.

t_2 = Unchilled beef temperature.

t_1 = Temperature required inside room.

For a more complete discussion of electricity requirements for refrigeration purposes, see Appendix B.

Once the electrical requirements for each plant were determined, a monthly billing demand for each plant was estimated. This billing demand is based on kilowatt capacity necessary to serve the customer. Since this varies greatly, a rule of thumb used by electrical concerns — 4 kilowatts for every 1000 kilowatt hours consumed (15, p. 83) — was used to estimate billing demand.

The cost of the electricity for the model plants was based on General Service Rate Schedule C obtained from the Monongahela Power Company. Tables 8 and 9 summarize the electricity requirements and costs of the model plants at various levels of capacity utilization.

Fuel Requirements and Costs

Since fuel oil is available in most areas and is widely used for heating in rural areas, it was used for estimation of heating fuel costs. Fuel requirements were based on short cut procedures taken from the *Handbook of Air Conditioning, Heating, and Ventilation*. For a description of this procedure, see Appendix C.

Fuel costs were based on prices obtained from several sources in the northern and central West Virginia areas. Fuel requirements and costs are presented in Table 10.

Water Requirements and Costs

Water is needed for animals to drink during the time spent in holding pens, floor and equipment clean-up, and for personal use of plant personnel. Water requirements were based on a linear function taken from Logan and King (15):

$$Y = .362 X$$

Where:

Y = Yearly water consumption in 100 cubic feet.

X = Yearly slaughter in number of head.

The water rates used were those charged by the Morgantown Water Commission. Schedule No. 1 was the appropriate schedule for small commercial users (see Appendix B). Two charges were involved: a basic charge for gallons used per month; and a sewage charge, which, according to Water Commission officials, is approximately 90 percent of the water costs. The annual water requirements and costs are shown in Table 11, and the annual costs of all utilities are summarized in Table 12.

Labor Requirements and Costs

Labor requirements at various levels of output were synthesized for each of the model plants. These requirements were based on estimates obtained from an equipment manufacturer and a sample of plant managers throughout West Virginia.

Plant personnel were divided into six departments: slaughtering, cutting and boning, order assembly, office personnel, sanitation and maintenance, and plant management. Total personnel requirements for each department within the model plants are presented in Table 13.

Wages for plant personnel were based on approximately 10 interviews with selected plant managers in West Virginia. Their identities were kept confidential, as they requested. Although these rates vary greatly, according to plant managers, qualified employees could be obtained at the wage

rates used in this study. These rates were \$4.50 per hour for slaughtering and processing personnel and \$3.00 per hour for order assembly, sanitation and maintenance, and office personnel. Management salaries are generally related to plant size. Yearly salaries for plant management used in this study were 12,000, 16,000, and 18,000 dollars for the three sizes of model plants. These salaries were assumed to remain at these levels regardless of plant capacity utilization. Total wages for each of the model plants at their various levels of capacity utilization are presented in Appendix D.

Employee benefits are additional costs associated with plant personnel and wages. According to an American Meat Institute Survey of U.S. meat processing plants in 1975, employee benefits were approximately 26.2 percent of wages and salaries. These benefits include: social security, 6.3 percent; retirement, 5.1 percent; insurance and hospitalization, 6.2 percent; vacation and holidays, 7.0 percent; and other, 1.6 percent (1, p. 5). Employee benefit costs, along with in-plant labor costs for each of the model plants, are presented in Tables 14, 15, and 16.

Miscellaneous Operating Costs

Miscellaneous operating costs include repair and maintenance, killing supplies, office, processing and packaging, taxes and licenses, telephone, advertising, and laundry. In a similar study investigating economies of size in non-slaughtering meat processing plants, these costs were an average of 64 percent of the in-plant labor costs for plants processing less than 75,000 pounds weekly (21, p. 73).

Although several other studies provide similar estimates, this study was used as a basis for estimating miscellaneous operating costs because it more closely approximates the sizes, technological configurations, and purposes of the model plants considered in this analysis. Miscellaneous operating costs for each of the model plants at their various levels of capacity utilization are illustrated in Table 17.

Total Annual Costs

Investment Costs

Total annual investment, or fixed costs, represented a small portion of total annual costs. These costs were \$11,869, \$29,012, and \$32,056 for the small, medium, and large plants, respectively (Table 18). At full capacity these costs represented 9.62, 10.25, and 9.19 percent of total annual costs for the model plants. Investment, or fixed costs, as a percent of total costs increased as output for each model plant decreased (Table 19).

Operating Costs

The largest portion of total annual costs consisted of the variable or operating costs. These costs included: payroll, miscellaneous operating, and utilities. Payroll costs comprised the largest portion of operating costs. Payroll costs ranged, depending on capacity utilization, from \$55,215 to \$89,213 for the small plant, from \$121,705 to \$208,803 for the medium plant, and from \$150,944 to \$260,962 for the large plant (Table 18).

The remaining portion of variable costs are comprised of miscellaneous operating and utility costs. Miscellaneous operating costs were \$36,710, \$83,784, and \$104,417 for the small, medium, and large plants operating at 100 percent of designed capacity. Total annual costs and their various com-

ponents at 70, 80, 90, 100, and 120 percent of capacity utilization are presented in Tables 18 and 19.

Utility costs ranged from \$2,021 to \$2,622 for the small plant, \$4,033 to \$5,611 for the medium plant, and \$5,150 to \$7,159 for the large plant (Table 19). Utility costs, expressed as a percent of total costs, also are presented in Table 19.

Average Costs

The average costs obtained for the three model plants operating at their designed capacities (100 percent capacity utilization) were \$81.47 per head for the small plant, \$56.15 per head for the medium plant, and \$55.35 per head for the large plant (Table 20).

Assuming the plants would operate at designed capacity, the optimum scale of plant to construct would be plant C. This plant has the lowest average costs and occupies the lowest point on the long-run average cost curve (Figure 1). However, if slaughter animal supply is limited and plants are unable to operate at full capacity, then the small plants may attain the cost advantage. For example, at full capacity the medium plant slaughters and processes (for a lower per head cost) the same number of head per year as the large plant operating at 80 percent capacity.

REVENUE AND FEASIBILITY ANALYSIS

Revenue Analysis

In order to completely evaluate the feasibility of establishing the model plants described in this study, it was necessary to approximate revenues that would have resulted from the operation of such plants at various levels of capacity utilization. To accomplish this, a net value per head processed was determined and then multiplied by appropriate units of output (Table 21).

Revenue per unit

According to West Virginia Department of Agriculture officials, charges for custom slaughtering and processing vary widely throughout the state. Therefore, in order to best approximate possible revenues from the operation of such plants in all areas of West Virginia, three levels of revenue were used. For this analysis, they were called low, medium, and high.

Revenues per head processed for the various revenue levels were calculated as follows:

1. A base slaughtering fee of \$5.00 for the low revenue level, \$10.00 for the medium level, and \$15.00 for the high revenue level was charged.
2. A processing fee of 10, 12, and 14 cents per lb. of dressed weight was charged for the low, medium, and high revenue levels.²
3. Additional revenue per animal processed for hide and offal was estimated at \$2.00 per 100 lb. of liveweight.³

²Dressed weight per animal processed was calculated by multiplying average West Virginia liveweight for 1976 (892 lbs.), times average U.S. dressing percentage for 1976 (59 percent). Calculated this way, the average dressed weight for 1976 was 525 lbs.

³The figure of \$2.00 per 100 lbs. of liveweight is 50 percent of the average for 1976 based on current central U.S. prices and averaged by-product yields (27, p. 1220). According to plant managers, this figure represents the additional revenue received from the sale of hide and offal.

FIGURE 1
Short and Long-Run Average Cost Curves

By combining revenues from the three sources above, the three levels of revenue per unit processed were obtained. They were \$75.34 for the low level, \$90.84 for the medium level, and \$106.34 for the high level. By multiplying these levels by the appropriate units of output, complete revenue schedules were obtained (Table 22).

Feasibility Analysis

For purposes of this study, a plant is considered feasible if total sales (revenue) exceed total costs or if net revenue is greater than zero. In order to estimate net revenue, total costs were subtracted from total sales for each of the model plants at their various levels of capacity utilization (Table 23).

All three of the model plants at their various levels of capacity utilization were feasible at the high revenue level. This was also true of the medium revenue level, with the exception of the 70 percent capacity utilization level of the smallest plant. For the low revenue level, however, only the two largest plants were found to be feasible. At this low level of revenue, the smallest plant incurred a loss at each assumed level of capacity utilization.

On the basis of net revenue per animal processed, Plant A would receive \$24.77, \$9.63, and -\$6.23 for the respective revenue levels of operating at full capacity. Plant B would receive \$50.19, \$34.69, and \$19.19 and Plant C would receive \$50.99, \$35.49, and \$19.99 for each of the three levels (Table 24).

Assuming an average dressed weight of 525 pounds, the small plant would *net* 1.8¢ per pound under the medium revenue level (base fee of \$10.00 and 12¢ per pound) at full capacity. The medium sized plant would net 6.4¢ and the large Plant (C) would realize 6.8¢ per pound.

If the slaughtering and processing costs in this study are compared with the lower costs incurred by the large Midwestern and Southwestern firms, plus the greater transportation and distribution costs from those areas, it might be more efficient for small plants to be constructed in West Virginia. The key to this determination would be the availability of live slaughter animals. A year-round steady supply is necessary for efficient, least cost operation. Since each individual situation is different, individuals or groups interested in such enterprises might find this study of some help.

Tables 1 — 24

Table 1
Building Costs

Item	Plant A ^a	Plant B ^b	Plant C ^c
		dollars	
Delivery and erection of pre-engineered building	39,972	79,420	89,900
Excavating, paving, landscaping, tar and gravel roof, building holding pens	8,000	35,000	35,000
Drain lines, plumbing and installation	7,000	23,000	26,000
Electrical lines	6,500	20,000	22,000
Total building costs ^d	61,472	157,420	172,900

^aAnnual output at full capacity is 1,512 head (6 head per day)

^bAnnual output at full capacity is 5,040 head (20 head per day)

^cAnnual output at full capacity is 6,300 head (25 head per day)

^dBuilding costs, especially lumber, has increased since the study was undertaken (1977) and since this report was submitted for publication (September, 1977).

Table 2
Equipment Costs

Item	Plant A	Plant B	Plant C
		dollars	
Slaughtering and processing equipment	16,265	42,127	42,129
Refrigeration equipment	14,927	32,975	36,900
Office equipment	1,530	2,255	2,255
Employee welfare area equipment	555	1,260	1,495
Total equipment costs, delivered and installed ^a	33,277	78,617	82,779

^aIncludes 15 percent freight and installation charge

Table 3
Building, Parking, and Miscellaneous
Land Area Requirements and Costs

Item	Plant A	Plant B	Plant C
		square feet	
Building	1,520	2,560	4,850
Employee parking ^a	1,890	4,320	5,130
Visitor parking ^b	1,890	4,320	5,130
Future expansion and landscaping ^c	530	1,120	1,511
Total requirements	5,830	12,320	16,621
		dollars	
Total land costs	669.00 ^d	1,414.00	1,908.00

^aAn Area of 270 square feet per fulltime employee

^bOne hundred percent of employee parking area

^cTen percent of the combined building space and employees' and visitors' parking areas

^dBased on the assumptions of this study, only \$669.00 worth of land, valued at \$5,000 per acre, is required. It is doubtful whether one could purchase \$669.00 worth of industrial acreage but in order to compare model plants of different sizes, consistency had to be maintained in cost estimation procedures.

Table 4
Total Investment Costs

Item	Plant A	Plant B	Plant C
		dollars	
Building costs	61,472	157,420	172,400
Equipment costs	33,277	78,617	82,779
Land costs	669	1,414	1,908
Total investment costs	95,418	237,451	257,587

Table 5
Interest Costs on Land, Buildings,
and Equipment

Item	Plant A	Plant B	Plant C
Land	62.00	dollars 131.00	177.00
Buildings	2,849.00	7,296.00	8,014.00
Equipment	1,542.00	3,644.00	3,837.00
Total interest costs	4,453.00	11,071.00	12,028.00

Table 6
Annual Depreciation Costs of
Buildings and Equipment

Item	Plant A	Plant B	Plant C
Total building costs	61,472	dollars 157,420	172,900
Building depreciation ^a	2,459	6,297	6,916
Total equipment costs	33,277	78,617	82,779
Salvage ^b	3,328	7,862	8,278
Balance for depreciation ^c	29,949	70,755	74,501
Equipment depreciation ^d	2,394	5,660	5,960
Total depreciation costs ^e	4,853	11,957	12,876

^aFour percent of total building costs

^bTen percent of total equipment costs

^cTotal equipment costs minus salvage value

^dEight percent of balance for depreciation

^eBuilding depreciation plus equipment depreciation

Table 7
Annual Investment Costs

Item	Plant A	Plant B	Plant C
		dollars	
Interest ^a	4,453	11,071	12,028
Depreciation ^b	4,853	11,957	12,876
Property taxes	1,317	3,277	3,555
Insurance	1,244	2,707	3,597
Total annual investment costs	11,867	29,012	32,056

^aTaken from Table 5

^bTaken from Table 6

Table 8
Electricity Requirements and Costs

Item	Plant A	Plant B	Plant C
Billing demand in kilowatts ^a	10	17	25
Kilowatt hours per month	2,192	4,266	6,269
Monthly bill ^b	\$115	\$185	\$258
Annual cost	\$1,378	\$2,215	\$3,091

^aFour kilowatts for every 1,000 kilowatt hours consumed

^bElectricity rates taken from Monongahela Power Company General Service Rate Schedule "C," effective June 28, 1975

Rate

Primary portion: Kilowatt hours in an equal amount to the first 60 times the kilowatts of monthly billing demand: \$.07359 net (\$.07859 gross) per kwh

Secondary portion: Kilowatt hours in an amount equal to the product of the next 120 times the kilowatts of the monthly billing demand:

For first 840 kilowatt hours — \$.06339 net per kwh

For all over 840 kilowatt hours — \$.02869 net per kwh

Excess portion: Remainder of energy used in excess of the primary and secondary portions, provided that not less than 840 kilowatt hours have been billed in the secondary portion: \$.01809 net per kwh

Table 9
Annual Electricity Costs at Various
Levels of Capacity Utilization

Percent Capacity Utilization	Plant A	Plant B	Plant C
		dollars	
120	1,431.00	2,342.00	3,290.00
100	1,378.00	2,215.00	3,091.00
90	1,351.00	2,151.00	2,992.00
80	1,324.00	2,088.00	2,892.00
70	1,298.00	2,024.00	2,793.00

Table 10
Annual Fuel Requirements
and Costs

Percent Capacity Utilization	Plant A	Plant B	Plant C
		gallons	
120	1,801	5,263	6,166
100	1,501	4,386	5,138
90	1,351	3,947	4,624
80	1,201	3,509	4,110
70	1,051	3,070	3,597
		dollars ^a	
120	720.00	2,105.00	2,466.00
100	600.00	1,754.00	2,055.00
90	540.00	1,579.00	1,850.00
80	480.00	1,404.00	1,644.00
70	420.00	1,228.00	1,439.00

^aBased on a fuel cost of \$0.40 per gallon

Table 11
Annual Water Requirements
and Costs

Percent Capacity Utilization	Plant A	Plant B	Plant C
		gallons	
120	491,221	1,637,767	2,047,209
100	409,442	1,364,806	1,706,007
90	368,552	1,228,325	1,535,407
80	327,661	1,091,845	1,364,806
70	286,772	955,364	1,194,205
		dollars	
120	471.00	1,164.00	1,403.00
100	407.00	1,013.00	1,205.00
90	379.00	931.00	1,109.00
80	337.00	856.00	1,013.00
70	303.00	781.00	918.00

Table 12
Total Annual Utilities Costs

Percent Capacity Utilization	Plant A	Plant B	Plant C
		dollars	
120	2,622.00	5,611.00	7,159.00
100	2,385.00	4,982.00	6,351.00
90	2,270.00	4,661.00	5,951.00
80	2,141.00	4,348.00	5,549.00
70	2,021.00	4,033.00	5,150.00

Table 13
**Personnel Required to Operate the
Three Model Plants at Full Capacity**

Department	Plant A	Plant B	Plant C
Slaughtering	1	3	4
Cutting and boning	1	3	4
Order assembly	3	7	9
Office personnel	1	2	2
Sanitation and maintenance	.5 ^a	1	1
Management	1	1	1
Total	7.5	17	21

^aDesignates part-time employee

Table 14
Total Wages and Benefits for Plant A

Percent Capacity Utilization	120	100	90	80	70
	dollars				
In-plant labor costs ^a	70,692	57,360	52,824	48,288	43,752
Retirement expense ^b	3,605	2,925	2,694	2,463	2,231
Social Security ^c	4,454	3,614	3,328	3,042	2,756
Insurance and hospitalization ^d	4,383	3,556	3,275	2,994	2,713
Vacation, sick leave, holiday ^e	4,948	4,015	3,698	3,380	3,063
All other ^f	1,131	918	845	773	700
Total ^g	89,213	72,388	66,664	60,940	55,215

^aTaken from Appendix D

^b5.1 percent of in-plant labor costs

^c6.3 percent of in-plant labor costs

^d6.2 percent of in-plant labor costs

^e7.0 percent of in-plant labor costs

^f1.6 percent of in-plant labor costs

^gSum of a, b, c, d, e, and f

Table 15
Total Wages and Benefits for Plant B

Percent Capacity Utilization	120	100	90	80	70
			dollars		
In-plant labor costs ^a	165,454	130,912	119,421	107,929	96,438
Retirement expense ^b	8,438	6,677	6,090	5,504	4,918
Social Security ^c	10,424	8,247	7,524	6,799	6,076
Insurance and hospitalization ^d	10,258	8,117	7,404	6,692	5,979
Vacation, sick leave, holiday ^e	11,582	9,164	8,359	7,555	6,751
All other ^f	2,647	2,095	1,911	1,727	1,543
Total ^g	208,803	165,212	150,709	136,206	121,705

^aTaken from Appendix D

^b5.1 percent of in-plant labor costs

^c6.3 percent of in-plant labor costs

^d6.2 percent of in-plant labor costs

^e7.0 percent of in-plant labor costs

^f1.6 percent of in-plant labor costs

^gSum of a, b, c, d, e, and f

Table 16
Total Wages and Benefits for Plant C

Percent Capacity Utilization	120	100	90	80	70
	dollars				
In-plant labor costs ^a	206,784	163,152	148,636	134,122	119,607
Retirement expense ^b	10,546	8,321	7,580	6,840	6,100
Social Security ^c	13,027	10,279	9,364	8,450	7,535
Insurance and hospitalization ^d	12,821	10,115	9,215	8,316	7,416
Vacation, sick leave, holiday ^e	14,475	11,421	10,405	9,389	8,372
All other ^f	3,309	2,610	2,378	2,146	1,914
Total ^g	260,962	205,898	187,578	169,263	150,944

^aTaken from Appendix D

^b5.1 percent of in-plant labor costs

^c6.3 percent of in-plant labor costs

^d6.2 percent of in-plant labor costs

^e7.0 percent of in-plant labor costs

^f1.6 percent of in-plant labor costs

^gSum of a, b, c, d, e, and f

Table 17
Annual Miscellaneous Operating Costs^a

Percent Capacity Utilization	Plant A	Plant B	Plant C
		dollars	
120	42,528	98,522	123,034
100	36,710	83,784	104,417
90	33,807	76,429	95,127
80	30,904	69,075	85,838
70	28,001	61,720	76,549

^aIncludes repair and maintenance, killing supply costs, office costs, processing and packaging costs, taxes and licenses, telephone, advertising, and laundry costs.

Table 18
The Components of Total Costs (Investment,
Payroll, Miscellaneous, Operating, and Utilities)
by Level of Capacity Utilization

Plant	Capacity Utilization (Percent)	Investment	Payroll	Miscellaneous Operating	Utilities	Total
			dollars			
A ^a	120	11,869	89,213	42,528	2,622	146,232
	100	11,869	72,388	36,710	2,385	123,335
	90	11,869	66,664	33,807	2,270	114,610
	80	11,869	60,940	30,904	2,141	105,854
	70	11,869	55,215	28,001	2,021	97,106
B ^b	120	29,012	208,803	98,522	5,611	341,948
	100	29,012	165,212	83,784	4,982	282,990
	90	29,012	150,709	76,429	4,661	260,811
	80	29,012	136,206	69,075	4,348	238,641
	70	29,012	121,705	61,720	4,033	216,470
C ^c	120	32,056	260,962	123,034	7,159	423,211
	100	32,056	205,898	104,417	6,351	348,722
	90	32,056	187,578	95,127	5,951	320,722
	80	32,056	169,263	85,838	5,549	292,706
	70	32,056	150,944	76,549	5,150	264,699

^aPlant A — 100% capacity = 1,512 head per year

^bPlant B — 100% capacity = 5,040 head per year

^cPlant C — 100% capacity = 6,300 head per year

Table 19
The Components of Total Costs (Investment, Payroll,
Miscellaneous Operating, Utilities) as a Percent of
Total Costs by Level of Capacity Utilization

Plant	Capacity Utilization (Percent)	Investment	Payroll	Miscellaneous Operating	Utilities
			percent		
A	120	8.12	61.01	29.08	1.79
	100	9.62	58.69	29.76	1.93
	90	10.36	58.17	29.50	1.98
	80	11.21	57.57	29.19	2.02
	70	12.22	56.86	28.84	2.08
B	120	8.48	61.06	28.81	1.64
	100	10.25	58.38	29.61	1.76
	90	11.12	57.78	29.30	1.79
	80	12.16	57.08	28.95	1.82
	70	13.40	56.22	28.51	1.86
C	120	7.57	61.66	29.07	1.69
	100	9.19	59.04	29.94	1.82
	90	10.00	58.49	29.65	1.86
	80	10.95	57.83	29.65	1.90
	70	12.11	57.02	28.92	1.95

Table 20
The Components of Total Costs and Total Cost per Animal
Processed (Average Cost) by Level of Capacity Utilization

Plant	Capacity Utilization (Percent)	Investment	Payroll	Miscellaneous Operating	Utilities	Total
			dollars			
A	120	6.54	49.18	23.44	1.45	80.61
	100	7.73	47.88	24.28	1.58	81.47
	90	8.72	48.98	24.84	1.67	84.21
	80	9.81	50.36	25.54	1.77	87.48
	70	11.21	52.14	26.44	1.91	91.67
B	120	4.80	34.52	16.29	.93	56.54
	100	5.67	32.78	16.62	.99	56.15
	90	6.40	33.23	16.85	1.03	57.51
	80	7.20	33.78	17.13	1.08	59.19
	70	8.22	34.50	17.49	1.14	61.35
C	120	4.24	34.51	16.27	.95	55.97
	100	5.09	32.68	16.57	1.01	55.35
	90	5.65	33.08	16.78	1.05	56.56
	80	6.36	33.58	17.03	1.10	58.07
	70	7.27	34.23	17.36	1.17	60.03

Table 21
Annual Output

Capacity Utilization (Percent)	Plant A	Plant B	Plant C
		head	
120	1,814	6,048	7,560
100	1,512	5,040	6,300
90	1,361	4,536	5,670
80	1,210	4,032	5,040
70	1,059	3,528	4,410

Table 22
Annual Revenue

Capacity Utilization (Percent)	Revenue Level								
	Plant A			Plant B			Plant C		
	High	Med.	Low	High	Med.	Low	High	Med.	Low
	dollars								
120	192,900	164,784	135,557	643,144	549,400	455,656	803,930	686,750	569,570
100	160,786	137,350	113,914	535,953	457,834	379,714	669,942	572,292	474,642
90	144,729	123,633	102,538	482,358	412,050	341,742	602,948	515,063	427,178
80	128,671	109,916	91,161	428,763	366,267	303,771	535,953	457,834	379,714
70	112,614	96,614	79,785	375,168	320,484	265,800	468,959	400,604	332,249

Table 23
Net Revenue

Plant	Capacity Utilization (Percent)	Total Revenue			Total Costs	Net Revenue		
		Revenue Level				Revenue Level		
		High	Medium	Low		High	Medium	Low
A	120	192,900	164,784	136,667	146,232	46,668	18,552	-9,565
	100	160,786	137,350	113,914	123,335	37,451	14,015	-9,421
	90	144,729	123,633	102,538	114,854	30,119	9,023	-12,072
	80	128,671	109,916	91,161	105,854	22,817	4,062	-14,693
	70	112,614	96,200	79,785	97,106	15,508	-906	-17,321
B	120	643,144	549,400	455,656	341,948	301,196	207,452	113,708
	100	535,953	457,834	379,714	282,990	252,963	174,844	96,724
	90	482,358	412,050	341,742	260,811	221,547	151,239	80,931
	80	428,763	366,267	303,771	238,641	190,122	127,626	65,130
	70	375,168	320,484	265,800	216,470	158,698	104,014	49,330
C	120	803,930	686,750	569,570	423,211	380,719	263,539	146,359
	100	669,942	572,292	474,642	348,722	321,220	223,570	125,920
	90	602,948	515,063	427,178	320,712	282,236	194,351	106,466
	80	535,953	457,834	379,714	292,706	243,247	165,128	87,008
	70	468,959	400,604	332,249	264,699	204,260	135,905	67,550

Table 24
Net Revenue Per Animal Processed
By Level of Capacity Utilization at
High, Medium and Low Revenue Levels

Plant	Capacity Utilization (Percent)	Annual Output (Head)	Net Revenue Per Animal		
			High	Medium	Low
dollars					
A	120	1,814	25.72	10.22	-5.27
	100	1,512	24.77	9.63	-6.23
	90	1,361	22.13	6.63	-8.87
	80	1,210	18.86	3.36	-12.14
	70	1,059	14.64	-0.85	-16.36
B	120	6,048	49.80	34.30	18.80
	100	5,040	50.19	34.69	19.19
	90	4,536	48.84	33.34	17.84
	80	4,032	47.15	31.65	16.15
	70	3,528	44.98	29.48	13.98
C	120	7,560	50.35	34.86	19.36
	100	6,300	50.99	35.49	19.99
	90	5,670	49.78	34.28	18.78
	80	5,040	48.26	32.76	17.26
	70	4,410	46.32	30.82	15.32

Bibliography and Literature Cited

- (1) American Meat Institute. *Financial Facts About the Meat Packing Industry*, 1975.
- (2) ASHRAE. *Guide and Data Book Applications*. American Society of Heating, Refrigeration and Air Conditioning Engineers, 1971.
- (3) ASHRAE. *Handbook of Air Conditioning, Heating and Ventilating*. Second Edition. Industrial Press, Inc., New York.
- (4) ASHRAE. *Handbook of Fundamentals*. The American Society of Heating, Refrigeration and Air Conditioning. Wisconsin, 1972.
- (5) Bressler, R. G. Jr. "Research Determination of Economies of Scale," *Journal of Farm Economics*, Vol. 27, No. 3 (August, 1945).
- (6) Cassell, Guy R., and D. A. West. *Assembly and Slaughtering Costs for Hogs in North Carolina*. North Carolina Economic Research.
- (7) *Economics of Scale in Cattle Slaughtering Plants*. Supplement No. 2 to Technical Study No. 1. Washington: National Commission on Food Marketing, June 1966.
- (8) Franzmann, John R., and B. T. Kuntz. *Economies of Size in Southwestern Beef Slaughter Plants*. Oklahoma Agricultural Experiment Station Research Bulletin B-648. Oklahoma State University, April 1966.
- (9) Freund, John E., and Frank J. Williams. *Modern Business Statistics*. Englewood Cliffs, New Jersey. Prentice-Hall, Inc., 1958.
- (10) Hammons, Donald R. *Cattle Killing — Floor Systems and Layouts*. Marketing Research Report No. 657. Washington: Agricultural Research Service, U. S. Dept. of Agriculture, May 1964.
- (11) Hammons, Donald R., and Jarvis E. Miller. *Improving Methods and Facilities for Cattle Slaughtering Plants in the Southwest*. Marketing Research Report No. 436. Washington: Agricultural Marketing Service, U. S. Dept. of Agriculture, February 1961.
- (12) Koch Supplies, Inc. *Koch General Catalog, No. 194*. Missouri: Koch Supplies, Inc., October 1975.
- (13) Kuehn, John P. *A Survey of Meat Slaughtering and Processing in West Virginia*. West Virginia University Agricultural Experiment Station Bulletin 631, February 1974.
- (14) Kuehn, John P. "Cost and Efficiencies of Model Meat Packing Plants in the Tennessee Valley." Unpublished Dissertation, The University of Tennessee, December 1969.
- (15) Logan, J. H. and Gordon A. King. *Economies of Scale in Beef Slaughter Plants*. California Agricultural Experiment Station, Giannini Foundation Research Report No. 260. Berkeley: University of California, December 1967.
- (16) Leftwich, Richard H. *The Price System and Resource Allocation*. Third Edition. New York: Holt, Rinehart and Winston, 1966.

- (17) Madden, J. Patrick. *Economies of Size in Farming*. Economic Research Service, U. S. Dept. of Agriculture, Ag. Ec. Report No. 107. Washington: U. S. Government Printing Office, 1967.
- (18) *Organization and Competition in the Livestock and Meat Industry*. Technical Study No. 1. Washington: National Commission on Food Marketing, June 1966.
- (19) Sanders, Adolph, O. L. Frazier, and J. H. Padgett. *An Appraisal of Economic Efficiencies Within Slaughter Plants*. Georgia Agricultural Experiment Station Bulletin 122. Athens: University of Georgia, December 1964.
- (20) Sewell, Ike J., and S. K. Winfree. "Potential Supply Estimates for a Cooperative Slaughter Plant." University of Tennessee, July 1975.
- (21) Schnake, L. D. "Economics of Size in Non-Slaughtering Meat Processing Plants." Unpublished Master Thesis, University of Missouri, May 1967.
- (22) U. S. Bureau of the Census, *Statistical Abstract of the United States*. 96th edition. Washington, 1975.
- (23) United States Department of Agriculture. *Federally Inspected Livestock Slaughter by Size and Type of Plant*. Statistical Bulletin No. 549, Economic Research Service, Washington, May 1976.
- (24) United States Department of Agriculture. *Livestock and Meat Situation*. Economic Research Service, LMS-209. Washington, June 1976.
- (25) United States Department of Agriculture. *Livestock and Meat Statistics*. Supplement for 1975. Economic Research Service. Statistical Bulletin No. 522. 1976.
- (26) United States Department of Agriculture. *Livestock Slaughter Annual Summary 1975*. Statistical Reporting Service. Washington, April 1976.
- (27) United States Department of Agriculture. *Market News Weekly Summary and Statistics*. Livestock Division. Agricultural Marketing Service.
- (28) United States Department of Agriculture. *Trends in Livestock Marketing Before and After the Consent Decree of 1920 and the Packers and Stockyard Act of 1921*. Packers and Stockyard Administration. June 1975.
- (29) West Virginia Department of Agriculture. *Annual Report*. July 1, 1974 — June 30, 1975. Charleston, W.Va., September 1975.
- (30) West Virginia Department of Agriculture. *Monthly Livestock Report*. Charleston, West Virginia, February 1977.

Blank Page in Original Bulletin

Appendixes

APPENDIX A

Table 1
Equipment Requirements for Plant A

Item No.	Quantity	Description	Total Price
Slaughtering and Processing Equipment			
1	1	Knocking pen door	----
2	1	Knocking pen door and platform	----
3	1	Hoist for door	----
4	1	Hoist with chain	----
5	1	Lander	----
6	1	Splitting saw	----
7	1	Model 50-J balancer for saw	----
8	1	Saw sterilizer	----
9	1	Electric element for saw sterilizer	----
10	1	Skinning cradle	----
11	1	Blood drum	----
12	1	Scale	----
13	1	Head rack	----
14	2	Sterilizing lavatories	----
15	2	Knife boxes	----
16	2	Drinking fountain	----
17	1	Stunner	----
18	1M	Cartridges for stunner	----
19	1	Band saw	----
20	1	Boning table	----
21	1	Board for table	----
22	1	Wrapping table	----
23	2	Paper cutters	----
24	1	Scale	----
25	1	Pan for scale	----
26	1	Grinder	----
27	1	Knife for grinder	----
28	1	3/8" plate for grinder	----
29	1	3/4" plate for grinder	----
30	2	Freezer trucks	----
31	2	Freezer racks	----
32	11	Freezer racks	----
33	200	Baskets	----
34	1	Hose	----
35	1	Nozzle	----
36	1	Barrel truck	----
37	2	Drums	----
38	2	Dollies	----

39	2 Lugs	----
40	2 Thermometers	----
41	6 Skinning knives	----
42	6 Boning knives	----
43	2 Steels	----
44	2 Sticking knives	----
45	2 Scabbards	----
46	1 Knife sharpener	----
47	1 Breaking saw	----
48	2 Boning hooks	----
49	1 Stock prod	----
50	1 Tape machine	----
51	2 Caps	----
52	2 Aprons	----
53	1 Easy drop	----

Total-delivered and installed \$16,265
Refrigeration Equipment

54	1 Chill cooler, 30 degrees F. CB 3H2-LDT 1801 Bohnmizer System, 230/60/3	----
55	1 Holding cooler, 35 degrees F. CB1-1/2M1-ADT 1040 Bohnmizer System, 230/60/3	----
56	1 Processing room, 50 degrees F. CB1-1/2H1-L0870 Bohnmizer System 230/60/3	----
57	1 Freezer, -15 degrees F. CB5L4-FL2402 Bohnmizer System, 230/60/3	----
58	— Copper fitting, pipe insulation and gas refrigerant	----

Total-delivered and installed \$14,927

Office Equipment

59	2 Desk	----
60	2 Chairs	----
61	1 Typewriter	----
62	2 2-drawer file cabinet	----
63	1 4-drawer file cabinet	----
64	1 Storage cabinet	----
65	1 Desk model calculator	----

Total-delivered and installed \$1,530

(continued on next page)

Table 1 continued

Employee Welfare Area Equipment			
66	2	Clothing locker — three opening sections	----
67	1	Clothing locker — single opening section	----
Total-delivered and installed			\$555
Total-delivered and installed (all equipment)			\$33,277

Table 2
Equipment Requirements for Plant B

Item No.	Quantity	Description	Total Price
Slaughtering and Processing Equipment			
1	1	Knocking pen door with platform and hoist	----
2	2	Knocking pen entrance door	----
3	2	Fabricated I-beam	----
4	2	Hoist, 2000 lb. capacity	----
5	1	Blood and water drain	----
6	1	Skinning cradle	----
7	1	Automatic lander	----
8	1	Splitting saw, 2 H.P., (three phase)	----
9	1	Model 140-k balancer for saw	----
10	1	I-beam trolley	----
11	1	Saw sterilizer	----
12	1	Electric element for sterilizer	----
13	1	Track scale	----
14	1	Dehairer	----
15	1	Cattle stunner	----
16	100	Beef trolleys	----
17	1	Paunch truck	----
18	2	Hose	----
19	2	Nozzles	----
20	50	Trolley extensions	----
21	2	Sterilizing lavatories	----
22	2	Electric knife boxes	----
23	1	Head flushing cabinets	----
24	1	6'0" long head table	----

25	1	8'0" wrapping table	----
26	1	Board for table	----
27	1	Table	----
28	1	Board for table	----
29	1	8'0" boning table	----
30	1	Board for table	----
31	1	Pump	----
32	1	2 H.P. band saw	----
33	1	Tenderizer	----
34	1	3-locker section	----
35	1	Table scale	----
36	1	Stainless steel pan for scale	----
37	1	Offal pan truck	----
38	4	Hose stations	----
39	4	Hose	----
40	4	Nozzles	----
41	6	Meat trees	----
42	3	Meat trucks	----
43	6	Meat drums	----
44	18	Lugs	----
45	2	Freezer trucks galvanized	----
46	1	Freezer racks	----
47	4	Add-on racks	----
48	100	Locker baskets	----
49	2	Cleavers	----
50	1	Thermometer	----
51	3	Steels	----
52	12	Knives	----
53	6	Heading knives	----
54	12	Boning knives	----
55	2	Scabboards	----
56	4	Scabboards	----
57	1	Knife sharpener	----
58	1	Saw	----
59	6	Bone hooks	----
60	1	Tape dispenser	----
61	1	Offal brander	----
62	12	Sponges	----
63	1	Beef stamp	----
64	1M	Tags	----
65	6	Caps	----
66	3	Bone aprons	----
67	12	Aprons	----
68	6	Aprons	----
69	50	Caps	----
70	4	Fly fans	----
71	1	Livestock scale	----
72	1	Sink	----

(continued on next page)

Table 2 continued

73	1	Faucet for sink	----
74	2	Head rack	----
75	1	Paunch table with hoist	----
76	1	Grinder	----
77	2	Knives	----
78	2	3/16" plates	----
79	2	3/8" plates	----
80	2	3/4" plates	----
81	2	Drop arms	----
82	2	Hoist for drop arm	----
83	2	Wash lavatories	----
84	1	100 gallon water heater	----
85	1	Rack for drying storage	----
86	1	Air curtain	----
87	2	Air curtains	----
88	3	Fly fans	----
89	1	Starting rack 18" wide	----
90	2	Racks 18" wide	----
91	6	Dollies	----
92	19	#R4112141 Day Brite — Vaporlane Light	----
93	22	#VPA75 pendant	----
94	22	#VPGU-2 guards	----
95	22	#VP-GL-2PL globes	----
96	11	4" floor drains	----
97	11	Lift-out strainers	----

Total-delivered and installed	\$42,127
-------------------------------	----------

Refrigeration Equipment

98	1	Chill cooler, 33 degrees F. CB8-H2- FL550 Bohnmizer System 220/60/3	----
99	1	Holding cooler, 35 degrees F. CB3- H2-FM 280 Bohnmizer System 220/60/3	----
100	1	Cutting room 50 degrees F. CB5- H2-(2)-LO 1500 Bohnmizer System 230/60/3	----
101	1	Freezer, -10 degrees F. CB7-L5-FL 330 Bohnmizer System 230/60/3	----
102	—	Copper pipe, pipe insulation controls and refrigerant	----

Total-delivered and installed	\$32,975
-------------------------------	----------

Office Equipment

103	3 Desk	----
104	3 Chair	----
105	2 Typewriter	----
106	2 2-drawer file cabinet	----
107	2 4-drawer file cabinet	----
108	1 Storage cabinet	----
109	2 Desk model calculator	----

Total-delivered and installed	\$2,255
-------------------------------	---------

Employee Welfare Area Equipment

110	5 Clothing locker - three opening sections	----
111	1 Clothing locker - one opening section	----

Total-delivered and installed	\$1,260
-------------------------------	---------

Total-delivered and installed (all equipment)	\$78,617
---	----------

Table 3
Equipment Requirements for Plant C

Item No.	Quantity	Description	Total Price
Slaughtering and Processing Equipment			
1	1	Knocking pen door with platform	----
2	1	Budget hoist for door	----
3	1	Knocking pen entrance door	----
4	-1	Fabricated I-beam	----
5	2	Hoists, 2000 lbs. capacity	----
6	1	Blood and water drain	----
7	1	Skinning cradle	----
8	1	Automatic lander	----
9	1	2 H.P. splitting saw	----
10	1	Model 140-k reel balancer for saw	----
11	1	Saw sterilizer	----
12	1	Electric element for sterilizer	----
13	1	Track scale	----
14	1	Paunch truck, elevator type	----

(continued on next page)

Table 3 continued

15	1	Cattle stunner	----
16	1M	Cattle stunner	----
17	100	Beef trolleys	----
18	1	Washing platform	----
19	3	Sterilizing lavatories	----
20	3	Electric knife boxes	----
21	2	Drinking fountain	----
22	2	Sinks	----
23	2	Faucet for sink	----
24	1	Head flushing cabinet	----
25	1	Head table	----
26	1	Board for table	----
27	1	8'0" wrapping table	----
28	1	Landing table with board	----
29	1	8'0" boning table	----
30	1	Board for table	----
31	1	8'0" grinder table with board	----
32	6	Knives	----
33	1	Tenderizer	----
34	2	3-locker section	----
35	2	Single locker section	----
36	1	Table scale	----
37	1	Stainless steel pan for scale	----
38	1	Offal pan truck	----
39	3	Hose station #2	----
40	3	Hose, 25' long	----
41	3	Nozzle	----
42	6	Meat trees	----
43	3	Meat trucks	----
44	6	Meat drums	----
45	3	Dollies	----
46	18	Lugs	----
47	2	Dollies	----
48	2	Freezer trucks	----
49	3	Freezer racks	----
50	26	Add-on racks	----
51	400	Locker baskets	----
52	2	Cleavers	----
53	13	Thermometers	----
54	3	Steel	----
55	12	Knives	----
56	6	Heading knives	----
57	12	Boning knives	----
58	2	Scabboards	----
59	4	Scabboards	----
60	1	Knife sharpener	----
61	1	Saw	----

62	6 Bone hooks	----
63	1 Tape dispenser	----
64	1 Offal brander	----
65	12 Sponges	----
66	1 Beef stamp	----
67	1M Tags	----
68	6 Caps	----
69	3 Bone aprons	----
70	12 Aprons	----
71	6 Aprons	----
72	50 Caps	----
73	3 Fly fans	----
74	1 Livestock scale	----
75	1 Rack	----
76	1 Rack	----
77	1 Easy drop	----
78	1 Retaining cage	----
79	2 Lavatory	----
80	4 Cooler and freezer thermometer	----
81	1 Wash nozzle for beef	----
82	1 20' hose	----
83	1 Livestock prod	----
84	1 Roller pole	----
85	16 Floor drains with strainer	----
86	1 Brake rail	----
87	1 Band saw	----
88	1 Roller conveyor	----
89	1 Grinder without pan	----
90	1 Knife	----
91	1 3/16" plate	----
92	1 3/8" plate	----
93	1 3/4" plate	----

Total-delivered and installed	\$42,129
-------------------------------	----------

Refrigeration Equipment

94	1 Chill cooler, 35 degrees F. CB10-H1-(2)-LET 2702 Bohnmizer System 230/60/3	----
95	1 Holding cooler, 33 degrees F. CB10-H1 ADT 300 Bohnmizer System 230/60/3	----
96	1 Processing room 55 degrees F. CB3-H1-L0 1890 Bohnmizer System 230/60/3	----

(continued on next page)

Table 3 continued

97	1 Blast freezer, -15 degrees F. MB15-L5-FL 5502 Bohnmizer System 230/60/3	----
98	1 Holding freezer, -5 degrees F. CB7-L5-FL 3302 Bohnmizer System 230/60/3 Estimate of copper fittings insulation and refrigerant	----- ----- -----
	Total-delivered and installed	\$36,900
Office Equipment		
99	Desk	---
100	Chair	----
101	Typewriter	----
102	2-drawer file cabinet	----
103	4-drawer file cabinet	----
104	Storage cabinet	----
105	Desk model calculator	---
	Total-delivered and installed	\$2,255
Employee Welfare Area Equipment		
106	Three opening section - clothing locker	----
107	One opening section - clothing locker	----
	Total-delivered and installed	\$1,495
	Total-all equipment delivered and installed	\$82,779

APPENDIX B

Calculation of Electricity Requirements

The Lumen method was used for determining the electricity requirements for lighting purposes. This procedure utilizes two equations:

1. Number of Lumens =
$$\frac{\text{Footcandles of illumination} \times \text{Floor area in sq. ft.}}{\text{Coefficient of utilization} \times \text{Maintenance factor}}$$
2. Annual Kwh =
$$\frac{\text{Number of lamps} \times \text{Bulb wattage} \times \text{Hours used}}{1,000 \text{ watts per Kwh}}$$

The first equation determines the number of lumens required for plant lighting purposes. This is then divided by the number of lumens per lamp (2,450) to get the number of lamps. The footcandles of illumination used was 50. The coefficient of utilization was .52 and the maintenance factor was estimated to be .7 (21, p. 146).

Then, to determine the annual Kwh used, the number of lamps was multiplied by the wattage (40) and the number of hours of operation per year. (Number of hours of operation varied according to capacity utilization.) The product of this is annual wattage which when divided by 1,000 gives annual kilowatt requirements.

Electricity requirements for refrigeration purposes were estimated from equations taken from Cassell and West (6, p. 16-18). These equations were:

1. B.T.U.'s required to maintain room temperature = Square ft. of wall space x Heat transfer coefficient (Temperature of outer wall — Temperature required inside room)
2. B.T.U.'s required to chill meat = Pounds of meat to be chilled x Specific heat of beef (Unchilled meat temperature — Temperature required inside room)

The first equation determines the amount of electricity required to maintain the desired room temperature. The heat transfer coefficient was .32 and the outer wall temperature used was 105° F. The desired inside room temperature and square feet of all space varied from plant to plant.

The second equation estimates the heat in B.T.U.'s that must be removed to chill the meat. The specific heat of beef was .84 and the unchilled meat temperature was 102° F (4, p. 461). Pounds of beef to be chilled and temperature required inside the room varied from plant to plant. Total B.T.U.'s estimated were divided by B.T.U.'s per Kwh provided by refrigeration units. The refrigeration units used in this study provided 9.20 B.T.U.'s per watt of electricity.

Water Rates
Schedule No. 2

AVAILABILITY OF SERVICE

EFFECTIVE MARCH 3, 1959

Available for general domestic, commercial, and industrial service where service is furnished through meters 3/4-inch or smaller in size.

RATE

First	6,000 gals. used per quarter	\$0.87 per thousand gals.
Next	24,000 gals. used per quarter	.59 per thousand gals.
Next	60,000 gals. used per quarter	.49 per thousand gals.
Next	90,000 gals. used per quarter	.40 per thousand gals.
All over	180,000 gals. used per quarter	.30 per thousand gals.

Source: Morgantown Water Commission, Morgantown, WV.

APPENDIX C

Calculation of Fuel Requirements

Fuel requirements were based on short-cut procedures obtained from the *Handbook on Heating, Air Conditioning and Ventilation* (3, p. 2-192). This procedure involves multiplying the cubic contents of the plant by multipliers given to obtain heat loss in B.T.U.'s per hour. This is then multiplied by 24 to obtain heat loss in B.T.U.'s per day and then multiplied by the number of heating days per season to obtain total heat loss per season. Once total heat loss is calculated, this estimate is divided by B.T.U.'s per gallon of fuel to determine the number of gallons required per season. An estimate of B.T.U.'s per gallon was obtained from the American Society of Heating, Refrigeration and Air Conditioning (2, p. 234). This procedure is accurate within 5-10 percent. Information necessary to calculate heating requirements is as follows:

Cubic Contents	Heating Days Per Season	Multiplier
Plant A — 8,722	120% capacity — 193	6.1
Plant B — 25,494	100% capacity — 161	
Plant C — 29,862	90% capacity — 145	B.T.U.'s per gal.
	80% capacity — 129	137,000
	70% capacity — 113	

APPENDIX D

Table 1
Labor Costs — 120% Capacity

Department	Plant A	Plant B	Plant C
		dollars	
Slaughtering	11,799	35,397	47,196
Cutting and boning	11,799	35,397	47,196
Order assembly	23,598	55,062	70,794
Sanitation and maintenance	3,630	7,866	7,866
Office personnel	7,866	15,732	15,732
Management	12,000	16,000	18,000
Total	70,692	165,454	206,784

Table 2
Labor Costs — 100% Capacity

Department	Plant A	Plant B	Plant C
		dollars	
Slaughtering	9,072	27,216	36,288
Cutting and boning	9,072	27,216	36,288
Order assembly	18,144	42,336	54,432
Sanitation and maintenance	3,024	6,048	6,048
Office personnel	6,048	12,096	12,096
Management	12,000	16,000	18,000
Total	57,360	130,912	163,152

Table 3
Labor Costs — 90% Capacity

Department	Plant A	Plant B	Plant C
		dollars	
Slaughtering	8,167	24,494	32,659
Cutting and boning	8,167	24,494	32,659
Order assembly	16,335	38,102	48,988
Sanitation and maintenance	2,722	5,443	5,443
Office personnel	5,445	10,886	10,886
Management	12,000	16,000	18,000
Total	52,824	119,421	148,636

Table 4
Labor Costs — 80% Capacity

Department	Plant A	Plant B	Plant C
		dollars	
Slaughtering	7,258	21,773	29,030
Cutting and boning	7,258	21,773	29,030
Order assembly	14,515	33,869	43,546
Sanitation and maintenance	2,419	4,838	4,838
Office personnel	4,838	9,677	9,677
Management	12,000	16,000	18,000
Total	48,288	107,929	134,122

Table 5
Labor Costs — 70% Capacity

Department	Plant A	Plant B	Plant C
		dollars	
Slaughtering	6,350	19,051	25,402
Cutting and boning	6,350	19,051	25,402
Order assembly	12,701	29,635	38,102
Sanitation and maintenance	2,117	4,234	4,234
Office personnel	4,234	8,467	8,467
Management	12,000	16,000	18,000
Total	43,752	96,438	119,607

Blank Page in Original Bulletin

Blank Page in Original Bulletin